



# **HDMI TFT Module Specification**

# MODEL: HA-070XIEBCEH1-V



<>> PRELIMINARY SPECIFICATION



		CUSTOMER		
		APPROVED BY		
	DATE:			
			EUT	
DI	ESI <mark>G</mark> NED	CHECKED	APPROVED	
	RD 22.10.30 Norton	日家祥	PM 2022.10.31 呂家祥	



# **RECORD OF REVISION**

Version	Revised Date	Page	Content
V1.0	2022/10/30		First Issued





# TABLE OF CONTENTS

No.	Content	Page
HDMI	TFT Module Specification	1
TABL	E OF CONTENTS	3
1.	GENERAL DESCRIPTION	4
2.	MECHANICAL SPECIFICATION	5
3.	PIN DESCRIPTION	6
4.	ABSOLUTE MAXIMUM RATINGS	8
5.	BLOCK DIAGRAM	9
6.	ELECTRICAL CHARACTERISTICS	
7.	PROJECTED CAPACITIVE TOUCH PANEL SPECIFICATION	
8.	OPTICAL CHARACTERISTICS	
9.	RELIABILITY	14
10.	PRECAUTION RELATING PRODUCT HANDLING	



# 1. GENERAL DESCRIPTION

### 1.1 Description

HA-070XIEBCEH1-V is a 7.0 (16:9) inch diagonally measured active display with high resolution WSVGA 1024x600 display and high brightness. This model is composed of a TFT LCD panel, backlight system, a projected capacitive touch panel and HDMI. It is designed to make Raspberry Pi usage easy. You can simply use this TFT display with your Raspberry Pi, or also you can use this as computer display with any device which has HDMI output. This 7.0" TFT model comes in 1024x600 resolution that would be great for embedded computing usage too.

#### 1.2 Features:


No.	Item	Specification	Unit
1	Panel Size	7.0″	Inch
2	Number of Pixels	1024 (W) x RGB x 600 (H)	Pixels
3	Active Area	154.21 (W) × 85.92 (H)	mm
4	Pixel Pitch	0.1506 (W) x 0.1432 (H)	mm
5	Outline Dimension	182.6 (W) × 117 (H <mark>)</mark> × 24. <mark>65</mark> (T)	mm
6	Number of Colors	16.7M	<b>b</b> - <b>C</b>
7	Display Mode	IPS / Normally Black / Transmissive	
8	View Direction	Free direction	
9	Display Format	RGB vertical stripe	
10	Surface Tr <mark>e</mark> atment	Clear (7H)	
11	Contrast Ratio	600 (Тур.)	
12	Luminance (cd/m^2)	600 (Тур.)	
13	Video Input Interface	HDMI	
15		(Compliance HDMI V1.4)	
14	Backlight	White LED	
15	Operation Temperature	-20 ~ 70	°C
16	Storage Temperature	-30 ~ 80	°C
17	Weight	(390)	g

#### Distributed by www.texim-europe.com



**DigiWise International Corporation** 

### 2. MECHANICAL SPECIFICATION



Page 5 of 19



#### 3. PIN DESCRIPTION

[DC JACK:SCD480CCS000B00GE or compatible] 3.1 Power Input(CN1) Symbol Function Pin No. 1/0 Note 12.0V Power Supply +12V 1 12V Ρ ⊡\_€\_⊕ 2 GND Ρ Ground

#### **3.2 Back-light Control(CN2)** [WAFER P2.0mm:2001S-03-RTE or compatible]

Pin No.	Symbol	I/0	Function	Note
1	GND	Р	Ground	
2	PWM	Ι	Back-light Dimming control (internal pull up to 3.3V)	*1
3	N.C.	-	N.C.	

\*1: When PWM not connected, back-light default is typical brightness.

#### 3.3 HDMI (CN3)

#### [HDMI A TYPE:PHD0911A2301E or compatible]

Pin No.	Symbol	1/0	Function	Note
1	TMDS 2+		TMDS Data2+	U '
2	GND	Р	TMDS Data2 Shield	
3	TMDS 2-		TMDS Data2-	
4	TMDS 1+	Ι	TMDS Data1+	
5	GND	Р	TMDS Data1 Shield	
6	TMDS 1-		TMDS Data1-	
7	TMDS 0+	-	TMDS Data0+	
8	GND	Р	TMDS Data0 Shield	
9	TMDS 0-	_	TMDS Data0-	
10	TMDS CLK+	Ι	TMDS Clock+	
11	GND	Р	TMDS Clock Shield	
12	TMDS CLK-	I	TMDS Clock-	
13	N.C.	-	N.C.	
14	N.C.	-	N.C.	
15	DDC_SCL	l	IIC SCL to EDID ROM	
16	DDC_SDA	1/0	IIC SDA to EDID ROM	
17	GND	Р	DDC/CEC Ground	
18	HD_5V	Р	+5V Power	
19	HPD	0	Hot Plug Detect	



3.4 PCT Control:IIC (CN4) [WAFER P1.25mm:50271-0060L-002 or compatible]

Pin No.	Symbol	I/0	Function	Note
1	GND	Р	Ground	
2	VDD	Р	Power supply for IIC	
3	SCL	I	IIC SCL to PCT Controller	
4	SDA	1/0	IIC SDA to PCT Controller	
5	INT	0	Interrupt	
6	RESET	I	Reset	

#### 3.5 PCT Control:USB (CN5) [WAFER P1.25mm:50271-0050L-002 or compatible]

Pin No.	Symbol	I/0	Function	Note
1	GND -EARTH	Ρ	Earth Ground(Shield)	
2	VDD_5V	Р	Power supply for USB I/F	
3	GND	Р	Power Ground	
4	D+	1/0	USB data +	
5	D-	<mark>1</mark> /0	USB data -	

#### 3.6 PCT Control:IIC and USB (FPC)

Pin No.	Symbol	1/0	Function	Note		
1	GND	Р	Ground			
2	VDD	Р	P <mark>ow</mark> er supply for IIC			
3	SCL	-	IIC SCL to PCT Controller			
4	SDA	1/0	IIC SDA to PCT Controller			
5	INT	0	nterrupt signal to inform the host processor that touch data is ready for read			
6	RESET	I	External low signal reset the chip.			
7	VDD_5V	Р	Power supply for USB I/F			
8	D+	1/0	USB data +			
9	D-	1/0	USB data -			
10	GND	Р	Ground			



### 4. ABSOLUTE MAXIMUM RATINGS

- 4.1 Electrical Absolute Rating
- 4.1.1 HDMI TFT LCD Module


ltom	Symbol	Values		Unit	Note
Item	Symbol	Min	Min Max.		
Power supply voltage	12V	10	14	V	

# 4.1.2 Environment Absolute Rating

ltom	Symbol		Values		Unit	Note
Item	Symbol	Symbol Min		Max.	Unit	Note
Operating Temperature	Тор	-20	-	70	°C	Ambient
Storage Temperature	Tst	-30	-	80	°C	temperature



- 5. BLOCK DIAGRAM
  - 5.1 TFT LCD Module





#### 6. ELECTRICAL CHARACTERISTICS

6.1 HDMI TFT LCD Module

Item	Symbol		Values	Unit	Note	
nem	Symbol	Min	Тур.	Max.	Unit	NOLE
Supply Voltage	12V	11	12	13	V	
PWM frequency		100	-	10K	Hz	
PWM Duty		17	-	100	%	<17%=0FF
PWM Dimming	Vpwm-ih	3.3	-	8	V	
Voltage	VPWM-IL	-	0.3	-	V	
Supply Current	ICC(12V)	-	330	380	mA	
LED life time		-	50000	_	Hr	(1)

#### Note 1:

The "LED life time" is defined as the module brightness decrease to 50% original brightness that the ambient temperature is  $25^{\circ}$ C 60% RH.

## 7. POROJECTED CAPACITIVE TOUCH PANEL SPECIFICATION

#### 7.1 Main Feature

Item	Specification	Unit
Screen <mark>S</mark> ize	7.0 inches	Diagonal
Туре	Transparent Type Projected Capacitive Touch Panel	
Input Mode	Human's Finger	
Interface	I2C or USB	
Touch number	5 points	
Cover glass pencil-hardness	7H	
Response time	≤25ms	ms
Controller IC	ILI2511	




### 8. OPTICAL CHARACTERISTICS

Item		Symbol	Condition	Min.	Тур.	Max.	Unit
Brightness			Note1, Note 3, $(\theta = 0^\circ,$ Normal Viewing	480	600		cd/m2
Uniformity		B-uni		70	75	-	%
Contrast Ratio		CR		400	600		
Response Time		Tr			4	8	ms
		Tf			12	24	ms
Color	White	Wx	Angle)	0.260	0.310	0.360	
Chromaticity		Wy		0.280	0.330	0.380	
View angle	Horizontal	Horizoptal $\theta$ X+	Center	80	85		
	ΠΟΠΖΟΠΙΔΙ	<i>θ</i> x-		80	85		
	Vertical	θ <b>Y</b> +	CR≥10	80	85		
		θ <b>Y</b> -		80	85		

Note : The following optical specifications shall be measured in a darkroom or equivalent state(ambient luminance  $\leq 1$  lux, and at room temperature). The operation temperature is 25°C±2°C. The measurement method is shown in Note1.

Note1: The method of optical measurement:




Note2: Measured at the center area of the panel and at the viewing angle of the  $\theta x = \theta y$ =0°


Note3: Definition of Contrast Ratio (CR):


CR = Luminance with all pixels in white state  $\div$  Luminance with all pixels in Black state



Note 4: Definition of Viewing Angle:








B-uni = (Minimum luminance of 9 points÷Maximum luminance of 9points)X100%



Note 6: Definition of Response Time:

The Response Time is set initially by defining the "Rising Time (Tr)" and the "Falling Time (Tf)" respectively. Tr and Tf are defined as following figure



Note 7: Definition of Chromaticity:

The color coordinates (Wx,Wy), (Rx,Ry), (Gx,Gy), and (Bx,By) are obtained with all pixels in the viewing field at white, red, green, and blue states, respectively.





# 9. RELIABILITY

#### 9.1 Test Condition

9.1.1 Temperature and Humidity(Ambient Temperature) Temperature : 25 ± 5°C Humidity : 65 ± 5%

# 9.1.2 OperationUnless specified otherwise, test will be conducted under function state.

# 9.1.3 Container Unless specified otherwise, vibration test will be conducted to the product itself without putting it in a container.

# 9.1.4 Test Frequency In case of related to deterioration such as shock test. It will be conducted only once.

No.	ITEM	CONDITION CRITERION
1	High Temperature Storage	80°C, 120 hrs
2	Low Temperature Storage	-30°C, 120 hrs
3	High Temperature Operating	70°C, 120 hrs
4	Low Temperature Operating	-20°C, 120 hrs
5	High Temperature/Humidity Non-Operating	40°C, 90%RH, 120 hrs
6	Temperature Shock Non-Operating	-30°C ←→ 80°C (0.5hr each), 100 cycles
7	Vibration Test Non-Operating	Frequency:0 ~ 55 Hz Amplitude:1.5 mm Sweep Time:11min Test Period:6 Cycles for each Direction of X,Y,Z
8	Electro-static Discharge	$\pm$ 2KV, Human Body Mode, 100pF/1500 $\Omega$

#### 9.2 TESTS

Note1: The test sample have recovery time for 24 hours at room temperature before the function check. In the standard conditions, there is no any function NG issue occurred.



#### 9.3 JUDGMENT STANDARD

The judgment of the above test should be made as follow:

Pass: Normal display image with no obvious non-uniformity and no line defect. Partial transformation of the module parts should be ignored.

Fail: No display image, obvious non-uniformity, or line defects.





## 9.4 INCOMING INSPECTION STANDARDS

DimensionOr DefectsLet Defects $D > 0.5$ 0 $0.3 < D \le 0.5$ 5 $0.3 < D \le 0.5$ 5 $D = (Long + Short) / 2$ * : DisregardClass Of DefectsClass Of Defects $L > 5$ $W > 0.1$ 0 $0.5 < L \le 5$ $0.3 < W \le 0.1$ 0Minor	ect in bright,
$1  \text{Operating} \\ 1  Opera$	-) QL
Image: 1Line Defect: No obvious Vertical and Horizontal line defect ark and colored. (Major) (Note:1)Point Defect : Active area $\leq 5$ dots (Minor) (Note:1)ItemAcceptable numberItemActive AreaBright2Dark45Dark4Some Acceptable through 5%ND filter. (Minor)Foreign material in Black or White spots shape (W>1/4)ZoneAcceptableOfLeDimensionOfD<0.500.3 < D $\leq 0.5$ MinorD = (Long + Short) / 2* : DisregardForeign Material in Line or spiral shape (W $\leq 1/4L$ ) (NoteZoneAcceptableD = (Long + Short) / 2* : DisregardClass Of DefectsL >5W>0.100.5 < L $\leq 5$ 0.3 < W $\leq 0.1$ MinorMinor	-) QL
$1  \text{Operating} \\ 1  \text{Operating} \\ 2  Opera$	_) _L
Point Defect : Active area $\leq 5$ dots (Minor) (Note:1)ItemAcceptable numberTotalBright25Dark41OperatingNon-uniformity: Visible through 5%ND filter. (Minor)Foreign material in Black or White spots shape (W>1/4)ZoneAcceptableOfClassOf0.3 < D $\leq 0.5$ D> 0.500.3 < D $\leq 0.5$ 5D = (Long + Short) / 2*: DisregardForeign Material in Line or spiral shape (W $\leq 1/4L$ ) (NoteClassOfD = (Long + Short) / 2*: DisregardForeign Material in Line or spiral shape (W $\leq 1/4L$ ) (NoteClassOfD = (Long + Short) / 2*: DisregardForeign Material in Line or spiral shape (W $\leq 1/4L$ ) (NoteClassOfD = (Long + Short) / 100.5 < L $\leq 5$ 0.03 < W $\leq 0.1$ 0.5 < L $\leq 5$ 0.03 < W $\leq 0.1$ Minor	QL
1  Operating $1  Operating$ $2  Operatin$	QL
$1  \text{Operating} \\ 1  \text{Operating} \\ 2  Opera$	QL
1 Operating Non-uniformity: Visible through 5%ND filter. (Minor) Foreign material in Black or White spots shape (W>1/4) Zone Acceptable Class Ai Dimension Defects $C_{Class}$ Ai Do 0.5 0 0.3 < D $\leq$ 0.5 5 Minor 1 D $\leq$ 0.3 * D = (Long + Short) / 2 *: Disregard Foreign Material in Line or spiral shape (W $\leq$ 1/4L) (Note Class Of D $\leq$ 0.3 * D = (Long + Short) / 2 *: Disregard Foreign Material in Line or spiral shape (W $\leq$ 1/4L) (Note Class Of D $\leq$ 0.3 * D = (Long + Short) / 2 *: Disregard Foreign Material in Line or spiral shape (W $\leq$ 1/4L) (Note Class Of D $\leq$ 0.5 0 0.5 < L $\leq$ 5 0.03 < W $\leq$ 0.1 0 0.5 < L $\leq$ 5 0.03 < W $\leq$ 0.1 5 Minor	QL
1 Operating Non-uniformity: Visible through 5%ND filter. (Minor) Foreign material in Black or White spots shape (W>1/4I Zone Acceptable Of Defects D> 0.5 0 0.3 < D $\leq$ 0.5 5 Minor 1 D $\leq$ 0.3 * D = (Long + Short) / 2 *: Disregard Foreign Material in Line or spiral shape (W $\leq$ 1/4L) (Note Zone Acceptable Of Defects D $\leq$ 0.3 * D = (Long + Short) / 2 *: Disregard Foreign Material in Line or spiral shape (W $\leq$ 1/4L) (Note L $\leq$ 0.03 < W $\leq$ 0.1 0 0.5 < L $\leq$ 5 0.03 < W $\leq$ 0.1 5 Minor	QL
1 Operating Non-uniformity: Visible through 5%ND filter. (Minor) Foreign material in Black or White spots shape (W>1/4) Zone Acceptable Of Let Dimension Number Defects Let D> 0.5 0 0.3 < D $\leq$ 0.5 5 Minor 1 D $\leq$ 0.3 * D = (Long + Short) / 2 *: Disregard Foreign Material in Line or spiral shape (W $\leq$ 1/4L) (Note L $\geq$ 5 W>0.1 0 0.5 < L $\leq$ 5 0.03 < W $\leq$ 0.1 5 Minor	QL
Non-uniformity: Visible through 5%ND filter. (Minor)Foreign material in Black or White spots shape (W>1/4I)ZoneAcceptableClassOfLeDimension0fD> 0.500.3 < D $\leq$ 0.55D $\leq$ 0.3*D = (Long + Short) / 2* : DisregardClassForeign Material in Line or spiral shape (W $\leq$ 1/4L) (Note $L (mm)$ $W(mm)$ $L > 5$ $W > 0.1$ 0 $0.5 < L \leq 5$ $0.3 < W \leq 0.1$ 5Minor1D = (Long + Short) / 2* : DisregardClass Of DefectsLong + Short) / 2Minor1Minor1D = (Long + Short) / 2* : DisregardClass Of DefectsLong + Short) / 2* : DisregardMinorAcceptable Of Defects	QL
Non-uniformity: Visible through 5%ND filter. (Minor)Foreign material in Black or White spots shape (W>1/4I)ZoneAcceptableClassOfLeDimension0fD> 0.500.3 < D $\leq$ 0.55D $\leq$ 0.3*D = (Long + Short) / 2* : DisregardClassForeign Material in Line or spiral shape (W $\leq$ 1/4L) (Note $L (mm)$ $W(mm)$ $L > 5$ $W > 0.1$ 0 $0.5 < L \leq 5$ $0.3 < W \leq 0.1$ 5Minor1D = (Long + Short) / 2* : DisregardClass Of DefectsLong + Short) / 2Minor1Minor1D = (Long + Short) / 2* : DisregardClass Of DefectsLong + Short) / 2* : DisregardMinorAcceptable Of Defects	QL
Non-uniformity: Visible through 5%ND filter. (Minor)Foreign material in Black or White spots shape (W>1/4)ZoneAcceptableClassAlOfLeiDefectsLeiDimensionDefects0D> 0.5000.3 < D $\leq$ 0.55MinorD $\leq$ 0.3*DefectsD = (Long + Short) / 2* : DisregardClass Of DefectsL (mm)W(mm)NumberL (mm)W(mm)Class Of DefectsL >5W>0.100.5 < L $\leq$ 50.03 < W $\leq$ 0.15Minor1	QL
$\begin{array}{ c c c c c c c }\hline Zone & Acceptable & Class & All & Of & Le & Of & Defects & D>0.5 & 0 & 0.3 < D \le 0.5 & 5 & Minor & 1 & D \le 0.3 & * & D = (Long + Short) / 2 & * : Disregard & D = (Long + Short) / 2 & * : Disregard & Foreign Material in Line or spiral shape (W \le 1/4L) (Note & Zone & Acceptable & Of & Of & Defects & Of & Defec$	QL
LoneAcceptable numberOf DefectsAll LetDimension $D > 0.5$ 0 $D > 0.5$ 0 $0.3 < D \le 0.5$ 5 $D \le 0.3$ *D = (Long + Short) / 2* : DisregardClass Of DefectsClass Of DefectsL (mm)W(mm)L >5W>0.100.5 < L $\le 5$ 0.03 < W $\le 0.1$ 5Minor1	-
$\begin{array}{ c c c c c } \hline & & & & & & & & & & & & & & & & & & $	-
DimensionDefects $D > 0.5$ 0 $0.3 < D \le 0.5$ 5 $D \le 0.3$ * $D = (Long + Short) / 2$ * : DisregardForeign Material in Line or spiral shape (W<1/4L) (Note $Zone$ Acceptable number $L > 5$ W>0.10 $0.5 < L \le 5$ $0.3 < W \le 0.1$ 0 $Minor$ 1	
$\begin{array}{ c c c c c c c c }\hline\hline 0.3 < D \le 0.5 & 5 & \text{Minor} & 1 \\ \hline D \le 0.3 & * & & & \\\hline D = (\text{Long + Short}) / 2 & * : \text{Disregard} & & \\\hline \text{Foreign Material in Line or spiral shape (W \le 1/4 L) (Note Class & Of Defects & & \\\hline L & & & & \\\hline L & & & & & \\\hline L > 5 & & & & \\\hline 0.5 < L \le 5 & 0.03 < W \le 0.1 & 5 & & \\\hline & & & & & & \\\hline \end{array}$	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	_
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	.5
Foreign Material in Line or spiral shape (W≤1/4L) (Note         Zone       Acceptable       Class         L (mm)       W(mm)       0       0         L >5       W>0.1       0       0         0.5 < L ≤ 5       0.03 < W≤0.1       5       Minor	
Zone         Acceptable number         Class Of Defects           L (mm)         W(mm)         Class Of           L >5         W>0.1         0           0.5 < L ≤ 5         0.03 < W≤0.1         5         Minor	• 1)
L (mm)         W(mm)         Acceptable number         Of Defects           L >5         W>0.1         0           0.5 < L ≤ 5         0.03 < W≤0.1         5         Minor	
L (mm)         W(mm)         number         Defects           L >5         W>0.1         0           0.5 < L ≤ 5         0.03 < W≤0.1         5         Minor	AQL
L >5         W>0.1         0           0.5 < L ≤ 5         0.03 < W≤0.1         5         Minor	Level
	1.5
L ≤0.5 W≤0.03 *	
L : Length W : Width * : Disregard	
Dimension: Outline (Major)	
Bezel appearance: uneven (Minor) Scratch on the polarize: (Note:2)	
	AQL
ble Of Defects	evel
L (mm) W(mm) number	
W>0.1 0 Minor	1.5
L ≤ 3 W≤0.1 3	
External Inspection L : Length W : Width * : Disregard	
2 (non-operating) Dent or bubble on the polarize (Note:2)	
Zone Acceptable Class AQL	
Dimension Of Level	
	l .
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	ł
	*
D = (Long + Short) / 2 * : Disregard	t



**DigiWise International Corporation** 

			Definition
Class of	Major		It is a defect that is likely to result in failure or to reduce materially the usability of the product for the intended function.
defects Minor		It is a defect that will not result in functioning problem with deviation	
	Minor	AQL 1.5%	classified.

Note1:

(a)Bright point defect is defined as point defect of R,G,B with area >1/2 pixel respectively (b)Dark point defect is defined as visible in full white pattern.

(c)Definition of distribution of point defect is as follows:

-minimum separation between dark point defects should be larger than 5mm.

-minimum separation between bright point defects should be larger than 5mm.

(d)Definition of joined bright point defect and joined dark point defect are as follows:


-Two or more joined bright point defects must be nil.

- -Three joined dark point defects must be nil.
- -Coupling of one dark and one bright point in junction is counted as one dark and bright spot with 1 pair maximum.
- -Two Joined dark point is counted as two dark points with 2 pair maximum.

Note2: The external inspection should be conducted at the distance 30± 5cm between the eyes of inspector and the panel.

Note3: Luminance measurement for contrast ratio is at the distance 50± 5cm between the detective head and the panel with ambient luminance less than 1 lux. Contrast ratio is obtained at optimum view angle.

Note4: W-Width in mm , L-length of Max. (L1, L2) in mm.





#### 9.5 Sampling Condition

Unless otherwise agree in written, the sampling inspection shall be applied to the incoming inspection of customer.

Lot size: Quantity of shipment lot per model.

Sampling type: normal inspection, single sampling

Sampling table: MIL-STD-105E


Inspection level: Level II

#### 9.6 Inspection conditions

The LCD shall be inspected under 40W white fluorescent light.

 $\theta \leq 45^{\circ}$  inspection under non-operating condition.

 $\theta \leq 5^{\circ}$  inspection under operating condition





- **10. PRECAUTION RELATING PRODUCT HANDLING** 
  - 10.1 SAFETY
  - 10.1.1 If the LCD panel breaks , be careful not to get the liquid crystal to touch your skin.
  - 10.1.2 If the liquid crystal touches your skin or clothes , please wash it off immediately by using soap and water.
  - 10.2 HANDLING
  - 10.2.1 Avoid any strong mechanical shock which can break the glass.
  - 10.2.2 Avoid static electricity which can damage the CMOS LSI–When working with the module, be sure to ground your body and any electrical equipment you may be using.
  - 10.2.3 Do not remove the panel or frame from the module.
  - 10.2.4 The polarizing plate of the display is very fragile. So , please handle it very carefully, Do not touch, push or rub the exposed polarizing with anything harder than an HB pencil lead (glass , tweezers , etc.)
  - 10.2.5 Do not wipe the polarizing plate with a dry cloth, as it may easily scratch the surface of plate.
  - 10.2.6 Do not touch the display area with bare hands , this will stain the display area.
  - 10.2.7 Do not use ketonics solvent & aromatic solvent. Use with a soft cloth soaked with a cleaning naphtha solvent.
  - 10.2.8 To control temperature and time of soldering is 280 ± 10°C and 3-5 sec.
  - 10.2.9 To avoid liquid (include organic solvent) stained on LCM.
  - 10.3 STORAGE
  - 10.3.1 Store the panel or module in a dark place where the temperature is 25°C ± 5°C and the humidity is below 65% RH.
  - 10.3.2 Do not place the module near organics solvents or corrosive gases.
  - 10.3.3 Do not crush, shake, or jolt the module.





#### Headquarters & Warehouse

Elektrostraat 17 NL-7483 PG Haaksbergen The Netherlands

T:	+31 (0)53 573 33 33
E:	info@texim-europe.com
Homepage:	www.texim-europe.com





#### The Netherlands

Elektrostraat 17 NL-7483 PG Haaksbergen

T: +31 (0)53 573 33 33 E: nl@texim-europe.com



Belgium

Zuiderlaan 14, box 10 B-1731 Zellik

T: +32 (0)2 462 01 00 E: belgium@texim-europe.com



**UK & Ireland** 

St Mary's House, Church Lane Carlton Le Moorland Lincoln LN5 9HS

T: +44 (0)1522 789 555 E: uk@texim-europe.com



Germany - North

Bahnhofstrasse 92 D-25451 Quickborn

T: +49 (0)4106 627 07-0 E: germany@texim-europe.com



Germany - South

Martin-Kollar-Strasse 9 D-81829 München

T: +49 (0)89 436 086-0 E: muenchen@texim-europe.com



Austria

Warwitzstrasse 9 A-5020 Salzburg

T: +43 (0)662 216 026 E: austria@texim-europe.com



Nordic

Søndre Jagtvej 12 DK-2970 Hørsholm

T: +45 88 20 26 30 E: nordic@texim-europe.com



Italy

Via Matteotti 43 IT-20864 Agrate Brianza (MB)

T: +39 (0)39 9713293 E: italy@texim-europe.com

www.texim-europe.com