


Customer signature	
Company name	
Approved by	
Signature date	




sign	date	description of changes	to bear

密级：AA




R+2 B-1

(Excluding sponge glue)

外发文件
外发编号:FAT-W-20250903002

受控文件

Distributed by:



Printing : FANSO
ER18505H-2 3.6V
28.8Wh 8Ah YY/MM

Technical Requirement : nominal voltage:3.6V

6	Sponge glue	3*6*22mm,black	1	
5	Sleeve	PVC,gray	1	
4	Connector	51021-2P	1	
3	Cable	UL 1571-26# black	1	
2	Cable	UL 1571-26# red	1	
1	Cell	ER18505H	2	FANSO
NO.	MATERIAL	SPECIFICATION	QTY	MARK



Wuhan FANSO Technology Co.,Ltd

drawing

Property of FANSO, copy is prohibited

toleraance	design	Wan Tingting	technique		P/N	Q0444A	version	A0
X :±0.3	drawing	Wan Tingting	quality	Zhang Lixing	material	91021271	unit	mm
X.X :±0.2					drawing number	FAT-JF-BZCP-03041A		
X.XX :±0.1	audit	Kang Changzhou	approval	Liu Peng	technical status	S	view direction	
angle :±0.5°	standard	Zhu Zhigang	date	2025.08.29	scale	1:1	page 1 of 1	

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Texim Europe B.V. its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, “Texim”), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Texim makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product.

It is the customer’s responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application.

Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time.

All operating parameters, including typical parameters, must be validated for each customer application by the customer’s technical experts.

Please contact us if you have any questions about the contents of the datasheet.

This may not be the latest version of the datasheet. Please check with us if a later version is available.



Headquarters & Warehouse

Elektrostraat 17
NL-7483 PG Haaksbergen
The Netherlands

T: +31 (0)53 573 33 33
E: info@texim-europe.com
Homepage: www.texim-europe.com



The Netherlands

Elektrostraat 17
NL-7483 PG Haaksbergen

T: +31 (0)53 573 33 33
E: nl@texim-europe.com



Belgium

Zuiderlaan 14, box 10
B-1731 Zellik

T: +32 (0)2 462 01 00
E: belgium@texim-europe.com



UK & Ireland

St Mary's House, Church Lane
Carlton Le Moorland
Lincoln LN5 9HS

T: +44 (0)1522 789 555
E: uk@texim-europe.com



Germany

Bahnhofstrasse 92
D-25451 Quickborn

T: +49 (0)4106 627 07-0
E: germany@texim-europe.com



Germany

Martin-Kollar-Strasse 9
D-81829 München

T: +49 (0)89 436 086-0
E: muenchen@texim-europe.com



Austria

Warwitzstrasse 9
A-5020 Salzburg

T: +43 (0)662 216 026
E: austria@texim-europe.com



Nordic

Stockholmsgade 45
2100 Copenhagen

T: +45 88 20 26 30
E: nordic@texim-europe.com



Italy

Martin-Kollar-Strasse 9
D-81829 München

T: +49 (0)89 436 086-0
E: italy@texim-europe.com